

INFORME DE CALIDAD DEL AGUA
EMBOTELLADA 2024
Agua potable de emergencia "Mayday"

Nombre de Embotellador: Mayday Industries, Division of Ready America, Inc.

Dirección: 1399 Specialty Dr; Vista, CA 92081

Teléfono: 760-295-0234

Fuente(s): Distrito de Riego de Vista

Proceso de tratamiento: Filtración de carbono, Filtración de micras, Ósmosis inversa, Ozonización (desinfección)

DEFINICIONES:

- **Declaración de calidad:** Los estándares de calidad del agua embotellada proporcionan los límites legales máximos para una variedad de sustancias que están permitidas en el agua embotellada, junto con su monitoreo. Requisitos. Las sustancias incluyen contaminantes microbiológicos, pesticidas, contaminantes inorgánicos, contaminantes orgánicos, contaminantes radiológicos y otros. Los estándares han sido establecidos por la Administración de Alimentos y Medicamentos de los Estados Unidos (FDA), basados en los estándares públicos de agua potable de la Agencia de Protección Ambiental de los Estados Unidos (USEPA). CDPH adopta las regulaciones de la FDA pertinentes a los estándares de calidad del agua embotellada.
- **Nivel máximo de contaminante (MCL):** MCL es el nivel máximo de un contaminante permitido en el agua potable pública.
- **Normas primarias de agua potable (PDWS):** Las PDWS están establecidas para proporcionarla máxima protección factible a la salud pública. El objetivo de establecer PDWS es identificar los MCL, junto con sus requisitos de monitoreo y notificación, que previenen los efectos adversos para la salud. Los PDWS se establecen tan cerca del objetivo de salud pública (PHG) o son el objetivo de nivel máximo de decontaminantes (MCLG) como es económica y tecnológicamente factible.
- **Objetivo de salud pública (PHG):** PHG es el nivel de un contaminante en el agua potable por debajo del cual no hay un riesgo conocido o esperado para la salud. Los PHG son establecidos por la Agencia de Protección Ambiental de California.

FUENTE DE AGUA:

Las fuentes de agua embotellada incluyen ríos, lagos, arroyos, estanques, embalses, manantiales y pozos. A medida que el agua viaja naturalmente sobre la superficie de la tierra o a través del suelo, puede recoger sustancias naturales, así como sustancias que están presentes debido a la actividad animal y humana. Las sustancias que pueden estar presentes en el agua de origen incluyen cualquiera de las siguientes:

- (1) Sustancias inorgánicas, incluidas, entre otras, sales y metales, que pueden ocurrir naturalmente o ser el resultado de la agricultura, la escorrentía de aguas pluviales urbanas, las descargas de aguas residuales industriales o domésticas, o la producción de petróleo y gas.
- (2) Pesticidas y herbicidas que pueden provenir de una variedad de fuentes, que incluyen, entre otras, la agricultura, la escorrentía de aguas pluviales urbanas y los usos residenciales.
- (3) Sustancias naturales que son subproductos de los procesos industriales y la producción de petróleo y también pueden provenir de estaciones de servicio, escorrentía de aguas pluviales urbanas, aplicaciones agrícolas y sistemas sépticos.
- (4) Organismos microbianos que pueden provenir de la vida silvestre, las operaciones agrícolas ganaderas, las plantas de tratamiento de aguas residuales y los sistemas sépticos.
- (5) Sustancias con propiedades radiactivas que pueden ser de origen natural o ser el resultado de la producción de petróleo y gas y de las actividades mineras".

CONTAMINANTES EN EL AGUA:

Se puede esperar razonablemente que el agua potable, incluyendo el agua embotellada, contenga al menos pequeñas cantidades de algunos contaminantes. La presencia de contaminantes no indica necesariamente que el agua represente un riesgo para la salud. Se puede obtener más información sobre los contaminantes y los posibles efectos en la salud llamando a la línea directa de la Administración de Alimentos y Medicamentos de los Estados Unidos, Food and Cosmetic (1-888-723-3366). Con el fin de garantizar que el agua embotellada sea segura para beber, la Administración de Alimentos y Medicamentos de los Estados Unidos y el Departamento de Salud Pública del Estado prescriben leyes y regulaciones que limitan la cantidad de ciertos contaminantes en el agua proporcionada por las compañías de agua embotellada.

Algunas personas pueden ser más vulnerables a los contaminantes en el agua potable que la población general. Personas inmunocomprometidas, incluidas, entre otras, personas con cáncer que se someten a quimioterapia, personas que se han sometido a trasplantes de órganos, personas con VIH / SIDA u otros trastornos del sistema inmunológico, algunos las personas mayores y los bebés pueden estar particularmente en riesgo de infecciones. Estas personas deben buscar asesoramiento sobre el agua potable de sus proveedores de atención médica. Las directrices de la Agencia de Protección Ambiental de los Estados Unidos y los Centros para el Control y la Prevención de Enfermedades sobre los medios apropiados para disminuir el riesgo de infección por criptosporidio y otros contaminantes microbianos están disponibles en la Línea Directa de Agua Potable Segura (1-800- 426-4791).

INFORMACIÓN SOBRE RETIRADAS DE PRODUCTOS:

Si desea saber si un producto de agua embotellada en particular ha sido retirado o está siendo retirado, visite el sitio web de la FDA <http://www.fda.gov/opacom/7alerts.html>.

DECLARACIONES ADICIONALES, SI CORRESPONDE:

Si corresponde, incluya las siguientes declaraciones en el informe de agua embotellada.

1. Si su agua embotellada contiene niveles de nitrato (NO₃) superiores a 23 partes por millón (ppm o mg/L) pero por debajo de 45 ppm [el Nivel máximo de contaminantes para nitrato (NO₃)]:

"Nitrato en el agua potable a niveles superiores a 45 mg / L es un riesgo para la salud de los bebés de menos de seis meses de edad. Estos niveles de nitrato en el agua potable pueden interferir con la capacidad de la sangre del bebé para transportar oxígeno, lo que resulta en una enfermedad grave. Síntomas incluyen dificultad para respirar y azul de la piel. Los niveles de nitrato por encima de 45 mg / L también pueden afectar la capacidad de la sangre para transportar oxígeno en otras personas, incluidas, entre otras, las mujeres embarazadas y aquellas con ciertas deficiencias enzimáticas específicas. Si está cuidando a un bebé o está embarazada, debe pedir consejo a su proveedor de atención médica".

2. Si su agua embotellada contiene niveles de arsénico superiores a 5 partes por billón (ppb o ug / L), pero por debajo de 10 ppb [el nivel máximo de contaminante para el arsénico]:

"Los niveles de arsénico por encima de 5 ppb y hasta 10 ppb están presentes en el agua potable. Si bien su agua potable cumple con el estándar actual de la EPA para el arsénico, contiene bajos niveles de arsénico. La norma equilibra la comprensión actual de los posibles efectos del arsénico en la salud con los costos de eliminar el arsénico del agua potable. El Departamento de Salud Pública del Estado continúa investigando los efectos en la salud de los bajos niveles de arsénico, que es un mineral conocido por causar cáncer en humanos en altas concentraciones y está relacionado con otros efectos sobre la salud, incluidos, entre otros, daños en la piel y problemas circulatorios".

Client Sample Results

Client: Ready America
 Project/Site: Mayday 2023 Pouches - Retest 1 Lot. 14

Job ID: 380-80643-1

Client Sample ID: Mayday Water Nov 23 Lot No 14 MFG:11/23

Lab Sample ID: 380-80643-1

EXP:11/28

Date Collected: 01/18/24 12:00

Matrix: Bottled Water


Date Received: 01/26/24 15:30

Method: EPA-DW 524.2 - Total Trihalomethanes

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trihalomethanes, Total	7.7		0.50		ug/L			02/07/24 17:53	1

Method: EPA-DW 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.50		0.50		ug/L			02/07/24 17:53	1
1,1,1-Trichloroethane	<0.50		0.50		ug/L			02/07/24 17:53	1
1,1,2,2-Tetrachloroethane	<0.50		0.50		ug/L			02/07/24 17:53	1
1,1,2-Trichloroethane	<0.50		0.50		ug/L			02/07/24 17:53	1
1,1-Dichloroethylene	<0.50		0.50		ug/L			02/07/24 17:53	1
1,1-Dichloroethane	<0.50		0.50		ug/L			02/07/24 17:53	1
1,1-Dichloropropene	<0.50		0.50		ug/L			02/07/24 17:53	1
1,2,3-Trichlorobenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
1,2,3-Trichloropropane	<0.50		0.50		ug/L			02/07/24 17:53	1
1,2,4-Trichlorobenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
1,2,4-Trimethylbenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
1,2-Dichloroethane	<0.50		0.50		ug/L			02/07/24 17:53	1
1,2-Dichloropropane	<0.50		0.50		ug/L			02/07/24 17:53	1
1,3,5-Trimethylbenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
1,3-Dichloropropane	<0.50		0.50		ug/L			02/07/24 17:53	1
2,2-Dichloropropane	<0.50		0.50		ug/L			02/07/24 17:53	1
2-Butanone (MEK)	9.3		5.0		ug/L			02/07/24 17:53	1
2-Hexanone	<10		10		ug/L			02/07/24 17:53	1
Benzene	<0.50		0.50		ug/L			02/07/24 17:53	1
Bromobenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
Bromochloromethane	<0.50		0.50		ug/L			02/07/24 17:53	1
Bromodichloromethane	3.3		0.50		ug/L			02/07/24 17:53	1
Bromoethane	<0.50		0.50		ug/L			02/07/24 17:53	1
Bromoform	<0.50		0.50		ug/L			02/07/24 17:53	1
Bromomethane (Methyl Bromide)	<0.50		0.50		ug/L			02/07/24 17:53	1
Carbon disulfide	<0.50	^3+	0.50		ug/L			02/07/24 17:53	1
Carbon tetrachloride	<0.50		0.50		ug/L			02/07/24 17:53	1
Chlorobenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
Chloroethane	<0.50		0.50		ug/L			02/07/24 17:53	1
Chloroform (Trichloromethane)	2.8		0.50		ug/L			02/07/24 17:53	1
Chloromethane (methyl chloride)	<0.50		0.50		ug/L			02/07/24 17:53	1
cis-1,2-Dichloroethylene	<0.50		0.50		ug/L			02/07/24 17:53	1
cis-1,3-Dichloropropene	<0.50		0.50		ug/L			02/07/24 17:53	1
Dibromochloromethane	1.6		0.50		ug/L			02/07/24 17:53	1
Dibromomethane	<0.50		0.50		ug/L			02/07/24 17:53	1
Dichlorodifluoromethane	<0.50		0.50		ug/L			02/07/24 17:53	1
Dichloromethane	<0.50		0.50		ug/L			02/07/24 17:53	1
Diisopropyl ether	<3.0		3.0		ug/L			02/07/24 17:53	1
Ethylbenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
Hexachlorobutadiene	<0.50		0.50		ug/L			02/07/24 17:53	1
Isopropylbenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
m,p-Xylenes	<0.50		0.50		ug/L			02/07/24 17:53	1
m-Dichlorobenzene (1,3-DCB)	<0.50		0.50		ug/L			02/07/24 17:53	1
Methyl-tert-butyl Ether (MTBE)	<0.50		0.50		ug/L			02/07/24 17:53	1



Client Sample Results

Client: Ready America
 Project/Site: Mayday 2023 Pouches - Retest 1 Lot. 14

Job ID: 380-80643-1

**Client Sample ID: Mayday Water Nov 23 Lot No 14 MFG:11/23
 EXP:11/28**

Lab Sample ID: 380-80643-1

Date Collected: 01/18/24 12:00

Matrix: Bottled Water

Date Received: 01/26/24 15:30

Method: EPA-DW 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	<0.50		0.50		ug/L			02/07/24 17:53	1
n-Butylbenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
N-Propylbenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
o-Chlorotoluene	<0.50		0.50		ug/L			02/07/24 17:53	1
o-Dichlorobenzene (1,2-DCB)	<0.50		0.50		ug/L			02/07/24 17:53	1
o-Xylene	<0.50		0.50		ug/L			02/07/24 17:53	1
p-Chlorotoluene	<0.50		0.50		ug/L			02/07/24 17:53	1
p-Dichlorobenzene (1,4-DCB)	<0.50		0.50		ug/L			02/07/24 17:53	1
p-Isopropyltoluene	<0.50		0.50		ug/L			02/07/24 17:53	1
sec-Butylbenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
Styrene	<0.50		0.50		ug/L			02/07/24 17:53	1
Tert-amyl methyl ether	<3.0		3.0		ug/L			02/07/24 17:53	1
Tert-butyl ethyl ether	<3.0		3.0		ug/L			02/07/24 17:53	1
tert-Butylbenzene	<0.50		0.50		ug/L			02/07/24 17:53	1
Tetrachloroethene (PCE)	<0.50		0.50		ug/L			02/07/24 17:53	1
Toluene	<0.50		0.50		ug/L			02/07/24 17:53	1
trans-1,2-Dichloroethylene	<0.50		0.50		ug/L			02/07/24 17:53	1
trans-1,3-Dichloropropene	<0.50		0.50		ug/L			02/07/24 17:53	1
Trichloroethylene (TCE)	<0.50		0.50		ug/L			02/07/24 17:53	1
Trichlorofluoromethane (Freon 11)	<0.50		0.50		ug/L			02/07/24 17:53	1
Trichlorotrifluoroethane	<0.50		0.50		ug/L			02/07/24 17:53	1
Vinyl Chloride (VC)	<0.30		0.30		ug/L			02/07/24 17:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		70 - 130					02/07/24 17:53	1
4-Bromofluorobenzene (Surr)	99		70 - 130					02/07/24 17:53	1
Toluene-d8 (Surr)	88		70 - 130					02/07/24 17:53	1

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4'-DDD	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
2,4'-DDE	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
2,4'-DDT	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
2,4-Dinitrotoluene	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
2,6-Dinitrotoluene	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
4,4'-DDD	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
4,4'-DDE	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
4,4'-DDT	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Acenaphthene	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Acenaphthylene	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Acetochlor	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Alachlor (Alanex)	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
alpha-BHC	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
alpha-Chlordane	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Anthracene	<0.020		0.020		ug/L		02/03/24 11:03	02/05/24 12:33	1
Atrazine	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Benz(a)anthracene	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Benzo[a]pyrene	<0.020		0.020		ug/L		02/03/24 11:03	02/05/24 12:33	1
Benzo[b]fluoranthene	<0.020		0.020		ug/L		02/03/24 11:03	02/05/24 12:33	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Ready America
 Project/Site: Mayday 2023 Pouches - Retest 1 Lot. 14

Job ID: 380-80643-1

Client Sample ID: Mayday Water Nov 23 Lot No 14 MFG:11/23
EXP:11/28

Lab Sample ID: 380-80643-1


Date Collected: 01/18/24 12:00

Matrix: Bottled Water

Date Received: 01/26/24 15:30

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Benzo[k]fluoranthene	<0.020		0.020		ug/L		02/03/24 11:03	02/05/24 12:33	1
beta-BHC	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59		ug/L		02/03/24 11:03	02/05/24 12:33	1
Bromacil	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Butachlor	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Butylbenzylphthalate	<0.49		0.49		ug/L		02/03/24 11:03	02/05/24 12:33	1
Caffeine	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Chlorobenzilate	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Chloroneb	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Chlorothalonil (Draconil, Bravo)	<0.098	^3+	0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Chlorpyrifos	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Chrysene	<0.020		0.020		ug/L		02/03/24 11:03	02/05/24 12:33	1
delta-BHC	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Di(2-ethylhexyl)adipate	<0.59		0.59		ug/L		02/03/24 11:03	02/05/24 12:33	1
Diazinon (Qualitative)	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Dibenz(a,h)anthracene	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Diclorvos (DDVP)	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Dieldrin	<0.20		0.20		ug/L		02/03/24 11:03	02/05/24 12:33	1
Diethylphthalate	<0.49		0.49		ug/L		02/03/24 11:03	02/05/24 12:33	1
Dimethoate	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Dimethylphthalate	<0.49		0.49		ug/L		02/03/24 11:03	02/05/24 12:33	1
Di-n-butyl phthalate	<0.98		0.98		ug/L		02/03/24 11:03	02/05/24 12:33	1
Di-n-octyl phthalate	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Endosulfan I (Alpha)	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Endosulfan II (Beta)	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Endosulfan sulfate	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Endrin	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Endrin aldehyde	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
EPTC	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Fluoranthene	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Fluorene	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
gamma-Chlordane	<0.049	*+	0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Heptachlor	<0.039		0.039		ug/L		02/03/24 11:03	02/05/24 12:33	1
Heptachlor epoxide (isomer B)	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Hexachlorobenzene	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Hexachlorocyclopentadiene	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Isophorone	<0.49		0.49		ug/L		02/03/24 11:03	02/05/24 12:33	1
Lindane	<0.039		0.039		ug/L		02/03/24 11:03	02/05/24 12:33	1
Malathion	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Methoxychlor	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Metolachlor	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Metribuzin	<0.049	*+ ^+	0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Molinate	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Naphthalene	<0.29		0.29		ug/L		02/03/24 11:03	02/05/24 12:33	1
Parathion	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Pendimethalin (Penoxaline)	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1



Client Sample Results

Client: Ready America
 Project/Site: Mayday 2023 Pouches - Retest 1 Lot. 14

Job ID: 380-80643-1

**Client Sample ID: Mayday Water Nov 23 Lot No 14 MFG:11/23
 EXP:11/28**

Lab Sample ID: 380-80643-1

Date Collected: 01/18/24 12:00

Matrix: Bottled Water

Date Received: 01/26/24 15:30

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenanthrene	<0.039		0.039		ug/L		02/03/24 11:03	02/05/24 12:33	1
Propachlor	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Pyrene	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Simazine	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Terbacil	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Terbutylazine	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1
Thiobencarb	<0.20		0.20		ug/L		02/03/24 11:03	02/05/24 12:33	1
Total Permethrin (mixed isomers)	<0.20		0.20		ug/L		02/03/24 11:03	02/05/24 12:33	1
trans-Nonachlor	<0.049		0.049		ug/L		02/03/24 11:03	02/05/24 12:33	1
Trifluralin	<0.098		0.098		ug/L		02/03/24 11:03	02/05/24 12:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	87		70 - 130	02/03/24 11:03	02/05/24 12:33	1
Perylene-d12	72		70 - 130	02/03/24 11:03	02/05/24 12:33	1
Triphenylphosphate	135	S1+	70 - 130	02/03/24 11:03	02/05/24 12:33	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.4		0.50		mg/L			01/31/24 00:20	1
Nitrate as N	0.13		0.050		mg/L			01/31/24 00:20	1
Nitrite as N	<0.050		0.050		mg/L			01/31/24 00:20	1
Sulfate	<0.25		0.25		mg/L			01/31/24 00:20	1

Method: EPA 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N	0.13		0.050		mg/L			01/31/24 00:20	1

Method: EPA 300.1 - Disinfection By-Products, (IC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorate	30		10		ug/L			02/01/24 01:34	1
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
Potassium Dichloroacetate (Surr)	105		90 - 115		02/01/24 01:34	1			

Method: EPA 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromate	3.4		1.0		ug/L			02/13/24 23:46	1

Method: EPA 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	<0.010		0.010		mg/L			02/16/24 15:48	1
Sodium	2.2		1.0		mg/L			02/16/24 15:48	1
Calcium	<1.0		1.0		mg/L			02/16/24 15:48	1
Magnesium	<0.10		0.10		mg/L			02/16/24 15:48	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (EPA 180.1)	0.35		0.10		NTU			01/31/24 12:32	1
Alkalinity as CaCO3 (SM 2320B)	<2.0		2.0		mg/L			02/01/24 03:21	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Ready America
Project/Site: Lot 14

Job ID: 380-72757-1

Client Sample ID: Mayday Water Lot No 14 MFG: 11/23 EXP: 11/28

Lab Sample ID: 380-72757-1

Date Collected: 11/22/23 12:00

Matrix: Bottled Water

Date Received: 11/28/23 11:00

Method: EPA 522 - 1,4 Dioxane (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	<0.069		0.069		ug/L		12/04/23 09:45	12/05/23 14:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,4-Dioxane-d8 (Surr)	96		70 - 130				12/04/23 09:45	12/05/23 14:08	1

Method: EPA 548.1 - Endothall (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Endothall	<5.0		5.0		ug/L		12/04/23 15:03	12/08/23 09:41	1

Method: EPA-DW2 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,3-Trichloropropane	<0.020		0.020		ug/L		12/04/23 16:00	12/05/23 03:36	1
1,2-Dibromo-3-Chloropropane	<0.010		0.010		ug/L		12/04/23 16:00	12/05/23 03:36	1
1,2-Dibromoethane	<0.010	^3+	0.010		ug/L		12/04/23 16:00	12/05/23 03:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dibromopropane (Surr)	115		60 - 140				12/04/23 16:00	12/05/23 03:36	1

Method: EPA 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alachlor (Alanex)	<0.098		0.098		ug/L		12/04/23 13:51	12/04/23 19:14	1
Aldrin	<0.0098		0.0098		ug/L		12/04/23 13:51	12/04/23 19:14	1
Chlordane	<0.098		0.098		ug/L		12/04/23 13:51	12/04/23 19:14	1
Dieldrin	<0.0098		0.0098		ug/L		12/04/23 13:51	12/04/23 19:14	1
Endrin	<0.0098		0.0098		ug/L		12/04/23 13:51	12/04/23 19:14	1
Heptachlor	<0.0098		0.0098		ug/L		12/04/23 13:51	12/04/23 19:14	1
Heptachlor epoxide (isomer B)	<0.0098		0.0098		ug/L		12/04/23 13:51	12/04/23 19:14	1
Lindane	<0.0098		0.0098		ug/L		12/04/23 13:51	12/04/23 19:14	1
Methoxychlor	<0.049		0.049		ug/L		12/04/23 13:51	12/04/23 19:14	1
PCB-1016	<0.069		0.069		ug/L		12/04/23 13:51	12/04/23 19:14	1
PCB-1221	<0.098		0.098		ug/L		12/04/23 13:51	12/04/23 19:14	1
PCB-1232	<0.098		0.098		ug/L		12/04/23 13:51	12/04/23 19:14	1
PCB-1242	<0.098		0.098		ug/L		12/04/23 13:51	12/04/23 19:14	1
PCB-1248	<0.098		0.098		ug/L		12/04/23 13:51	12/04/23 19:14	1
PCB-1254	<0.098		0.098		ug/L		12/04/23 13:51	12/04/23 19:14	1
PCB-1260	<0.069		0.069		ug/L		12/04/23 13:51	12/04/23 19:14	1
Polychlorinated biphenyls, Total	<0.098		0.098		ug/L		12/04/23 13:51	12/04/23 19:14	1
Toxaphene	<0.49		0.49		ug/L		12/04/23 13:51	12/04/23 19:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	104		70 - 130				12/04/23 13:51	12/04/23 19:14	1

Client Sample Results

Client: Ready America
Project/Site: Lot 14

Job ID: 380-72757-1

Client Sample ID: Mayday Water Lot No 14 MFG: 11/23 EXP: 11/28

Lab Sample ID: 380-72757-1

Date Collected: 11/22/23 12:00

Matrix: Bottled Water

Date Received: 11/28/23 11:00

Method: EPA-DW 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4,5-T	<0.20		0.20		ug/L		12/06/23 08:40	12/07/23 11:20	1
2,4,5-TP (Silvex)	<0.20		0.20		ug/L		12/06/23 08:40	12/07/23 11:20	1
2,4-D	<0.10		0.10		ug/L		12/06/23 08:40	12/07/23 11:20	1
2,4-DB	<2.0		2.0		ug/L		12/06/23 08:40	12/07/23 11:20	1
3,5-Dichlorobenzoic acid	<0.50		0.50		ug/L		12/06/23 08:40	12/07/23 11:20	1
Acifluorfen	<0.20		0.20		ug/L		12/06/23 08:40	12/07/23 11:20	1
Bentazon	<0.50		0.50		ug/L		12/06/23 08:40	12/07/23 11:20	1
Dalapon	<1.0		1.0		ug/L		12/06/23 08:40	12/07/23 11:20	1
Dicamba	<0.10		0.10		ug/L		12/06/23 08:40	12/07/23 11:20	1
Dichlorprop	<0.50		0.50		ug/L		12/06/23 08:40	12/07/23 11:20	1
Dinoseb	<0.20		0.20		ug/L		12/06/23 08:40	12/07/23 11:20	1
Pentachlorophenol	<0.040		0.040		ug/L		12/06/23 08:40	12/07/23 11:20	1
Picloram	<0.10		0.10		ug/L		12/06/23 08:40	12/07/23 11:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid (Surr)	98		70 - 130	12/06/23 08:40	12/07/23 11:20	1

Method: SM 6251B - Haloacetic Acids (HAAs) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromochloroacetic acid	<1.0		1.0		ug/L		12/02/23 06:33	12/03/23 06:20	1
Dibromoacetic acid	<1.0		1.0		ug/L		12/02/23 06:33	12/03/23 06:20	1
Dichloroacetic acid	<1.0		1.0		ug/L		12/02/23 06:33	12/03/23 06:20	1
Monobromoacetic acid	<1.0		1.0		ug/L		12/02/23 06:33	12/03/23 06:20	1
Monochloroacetic acid	<2.0		2.0		ug/L		12/02/23 06:33	12/03/23 06:20	1
Trichloroacetic acid	<1.0		1.0		ug/L		12/02/23 06:33	12/03/23 06:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,3-Dibromopropionic acid	108		70 - 130	12/02/23 06:33	12/03/23 06:20	1

Method: SM 6251B - Total Haloacetic Acids (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Haloacetic Acids 5	<2.0		2.0		ug/L			12/03/23 06:20	1

Method: EPA 218.6 - Chromium, Hexavalent (Ion Chromatography)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent Chromium (CrVI)	0.032		0.020		ug/L			12/05/23 20:09	1

Method: EPA 531.2 - Carbamate Pesticides (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
3-Hydroxycarbofuran	<0.50		0.50		ug/L			12/06/23 01:26	1
Aldicarb	<0.50		0.50		ug/L			12/06/23 01:26	1
Aldicarb sulfone	<0.50		0.50		ug/L			12/06/23 01:26	1
Aldicarb sulfoxide	<0.50		0.50		ug/L			12/06/23 01:26	1
Baygon	<0.50		0.50		ug/L			12/06/23 01:26	1
Carbaryl	<0.50		0.50		ug/L			12/06/23 01:26	1
Carbofuran	<0.50		0.50		ug/L			12/06/23 01:26	1
Methiocarb	<0.50		0.50		ug/L			12/06/23 01:26	1
Methomyl	<0.50		0.50		ug/L			12/06/23 01:26	1
Oxamyl	<0.50		0.50		ug/L			12/06/23 01:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
BDMC	80		70 - 130		12/06/23 01:26	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Ready America
Project/Site: Lot 14

Job ID: 380-72757-1

Client Sample ID: Mayday Water Lot No 14 MFG: 11/23 EXP: 11/28

Lab Sample ID: 380-72757-1

Date Collected: 11/22/23 12:00

Matrix: Bottled Water

Date Received: 11/28/23 11:00

Method: EPA 547 - Glyphosate (DAI HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Glyphosate	<6.0		6.0		ug/L			12/08/23 19:37	1

Method: EPA 549.2 - Diquat and Paraquat (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diquat	<0.40		0.40		ug/L		12/04/23 15:19	12/05/23 15:45	1
Paraquat	<2.0		2.0		ug/L		12/04/23 15:19	12/05/23 15:45	1

Method: EPA 331.0 - Perchlorate (LC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perchlorate	<0.50		0.50		ug/L			11/30/23 15:57	1

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosfluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
N-ethylperfluorooctanesulfonamidoac etic acid (NEtFOSAA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
N-methylperfluorooctanesulfonamidoa cetic acid (NMeFOSAA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorononanoic acid (PFNA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0		ng/L		12/06/23 05:50	12/07/23 02:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	84		70 - 130	12/06/23 05:50	12/07/23 02:40	1
13C2 PFHxA	92		70 - 130	12/06/23 05:50	12/07/23 02:40	1
13C3-GenX	90		70 - 130	12/06/23 05:50	12/07/23 02:40	1
d5-NEtFOSAA	89		70 - 130	12/06/23 05:50	12/07/23 02:40	1

Method: EPA 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDD	<4.8		4.8		pg/L		12/05/23 06:49	12/06/23 17:31	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	71		31 - 137	12/05/23 06:49	12/06/23 17:31	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: Ready America
Project/Site: Lot 14

Job ID: 380-72757-1

Client Sample ID: Mayday Water Lot No 14 MFG: 11/23 EXP: 11/28

Lab Sample ID: 380-72757-1

Date Collected: 11/22/23 12:00

Matrix: Bottled Water

Date Received: 11/28/23 11:00

Method: EPA 900.0 - Gross Alpha and Gross Beta Radioactivity

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Gross Alpha	0.382	U	0.658	0.660	3.00	0.688	pCi/L	12/01/23 10:29	12/16/23 20:24	1
Gross Beta	0.233	U	0.412	0.412	4.00	0.409	pCi/L	12/01/23 10:29	12/16/23 20:24	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0461	U	0.0769	0.0770	1.00	0.0842	pCi/L	12/01/23 09:39	12/19/23 11:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.3		30 - 110					12/01/23 09:39	12/19/23 11:52	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.438		0.423	0.425	1.00	0.411	pCi/L	12/01/23 09:45	12/15/23 12:12	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.3		30 - 110					12/01/23 09:45	12/15/23 12:12	1
Y Carrier	75.9		30 - 110					12/01/23 09:45	12/15/23 12:12	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.484		0.430	0.432	5.00	0.411	pCi/L		12/20/23 11:34	1

Method: TAL-STL SM 7500-Rn B - Radon-222 (LSC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radon 222	4.53	U	10.9	10.9	30.0	18.7	pCi/L	11/30/23 13:36	12/01/23 03:46	1

Method: SM 9215B - Heterotrophic Plate Count

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Heterotrophic Plate Count	<1		1		CFU/mL			12/01/23 18:52	1

Method: SM 9223B - Coliforms, Total, and E.Coll (Colilert - Quanti Tray)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Coliform, Total	<1.0		1.0		MPN/100mL			12/01/23 17:28	1
E. Coli	<1.0		1.0		MPN/100mL			12/01/23 17:28	1

Client Sample Results

Client: Ready America
Project/Site: Lot 14

Job ID: 380-72757-1

Client Sample ID: Mayday Water Lot No 14 MFG: 11/23 EXP: 11/28

Lab Sample ID: 380-72757-1

Date Collected: 11/22/23 12:00

Matrix: Bottled Water

Date Received: 11/28/23 11:00

Method: EPA 200.8 - Mercury (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hg	<0.20		0.20		ug/L			12/01/23 12:02	1
Aluminum	<20		20		ug/L			12/01/23 12:02	1
Antimony	<1.0		1.0		ug/L			12/01/23 12:02	1
Arsenic	<1.0		1.0		ug/L			12/01/23 12:02	1
Barium	<2.0		2.0		ug/L			12/01/23 12:02	1
Beryllium	<1.0		1.0		ug/L			12/01/23 12:02	1
Cadmium	<0.50		0.50		ug/L			12/01/23 12:02	1
Chromium	<1.0		1.0		ug/L			12/01/23 12:02	1
Copper	<2.0		2.0		ug/L			12/01/23 12:02	1
Lead	<0.50		0.50		ug/L			12/01/23 12:02	1
Manganese	<2.0		2.0		ug/L			12/01/23 12:02	1
Nickel	<5.0		5.0		ug/L			12/01/23 12:02	1
Selenium	<5.0		5.0		ug/L			12/01/23 12:02	1
Silver	<0.50	^2	0.50		ug/L			12/01/23 12:02	1
Thallium	<1.0		1.0		ug/L			12/01/23 12:02	1
Uranium	<1.0		1.0		ug/L			12/01/23 12:02	1
Zinc	<20		20		ug/L			12/01/23 12:02	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Uranium	<0.67		0.67		pCi/L			12/01/23 12:02	1

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness (as CaCO3)	<3.0		3.0		mg/L			12/01/23 17:42	1
Calcium hardness as CaCO3	<2.5		2.5		mg/L			12/01/23 17:42	1
Magnesium hardness as calcium carbonate	<0.80		0.80		mg/L			12/01/23 17:42	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenols, Total (EPA 420.4) Chlorine (SM 4500 Cl G)	<1.0		1.0		ug/L		12/12/23 14:00	12/13/23 15:50	1
Cyanide (SM 4500 CN F)	<0.050		0.050		mg/L			12/06/23 13:30	1
Carbonate Alkalinity as CaCO3 (SM 2320B)	<0.025		0.025		mg/L			12/06/23 09:46	1
Hydroxide Alkalinity as CaCO3 (SM 2320B)	<2.0		2.0		mg/L			11/30/23 18:38	1
Total Dissolved Solids (SM 2540C)	<2.0		2.0		mg/L			11/30/23 18:38	1
Chloramines, Total (SM 4500 Cl G)	<10		10		mg/L			11/29/23 18:15	1
Fluoride (SM 4500 F C)	<0.050		0.050		mg/L			12/06/23 13:30	1
Methylene Blue Active Substances (SM 5540C)	<0.050		0.050		mg/L			12/06/23 21:27	1
	<0.10		0.10		mg/L			11/29/23 17:41	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorine dioxide (SM 4500 ClO2 D)	<0.24		0.24		mg/L			12/06/23 13:30	1
Color, Apparent (SM 2120B)	<2.0		2.0		Color Units			11/30/23 18:01	1

Client Sample Results

Client: Ready America
 Project/Site: Mayday 2023 Pouches - Retest 1 Lot. 14

Job ID: 380-80643-1

**Client Sample ID: Mayday Water Nov 23 Lot No 14 MFG:11/23
 EXP:11/28**

Lab Sample ID: 380-80643-1

Date Collected: 01/18/24 12:00

Matrix: Bottled Water

Date Received: 01/26/24 15:30

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bicarbonate Alkalinity as CaCO3 (SM 2320B)	<2.0		2.0		mg/L			02/01/24 03:21	1
Carbonate Alkalinity as CaCO3 (SM 2320B)	<2.0		2.0		mg/L			02/01/24 03:21	1
Hydroxide Alkalinity as CaCO3 (SM 2320B)	<2.0		2.0		mg/L			02/01/24 03:21	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Odor (SM 2150B)	1.0		1.0		T.O.N.			01/30/24 14:48	1
pH (SM 4500 H+ B)	6.5	HF	0.01		SU			02/01/24 03:21	1

